



Mango Kush


CBD Warehouse

Test Id #: 1
Sample ID: cbw 1 mak
Type: Vape Juice

Received: 10/18/2018
Reported: 10/24/2018
Submittee: Manufacturer

POTENCY TEST	%	mg/ml
CBDV	0.00	0.00
CBDA	0.00	0.00
CBG	0.00	0.00
CBD	1.99	19.90
THCV	0.00	0.00
CBN	0.00	0.00
THC	0.00	0.00
CBC	0.00	0.00
THCA	0.00	0.00
Total Cannabinoids	1.99	19.90

Fractions of Measured Cannabinoids



Testing by GC-FID in accordance with the recommendations and procedures established by the American Herbal Pharmacopoeia using cannabinoid analytical reference standards manufactured in an ISO-accredited laboratory and manufacturing facility. Values of "<0.01" are below the limit of quantification of the instrument.

MYCOTOXIN TEST	
AFLATOXIN	Not Tested ppb
OCHRATOXIN	Not Tested ppb
Total Mycotoxins	<20 ppb
DOH Standard	20 ppb

*AFLATOXIN LOQ= 4ppb *OCHRATOXIN LOQ= 2ppb

Testing by Elisa. The NMDOH has established limits for medical cannabis. No standards have been established for hemp.

MICROBIAL CONTAMINATION			
Test	DOH Standard	Test Sample Result	KEY
Total Aerobic	100,000	Not Tested	*TNTC= Too Numerous to Count *A= Absent *P= Present <LOQ= Less Than the Minimum Detection Level
Yeast & Mold	1,000	Not Tested	
Enterobacter	1,000	Not Tested	
E.coli	<1	Not Tested	
Salmonella	<1	Not Tested	

Results are reported in colony forming units per gram. Testing is conducted following USP 2021 guidelines. The limits are established by USP 2021 and the New Mexico Department of Health for medical cannabis. No standards have been established for hemp.